

Digital Valve Flow Controller

Features

- Low-cost flow control
- Simple, accurate flow control with standard components
- Operates at 1000 Hz
- Wide operating pressure range (100 to 1000 psi)
- Low-pressure flow rates (up to 200 gpm)
- Support for 4000 psi working pressure with standard 1/2" or 3/4" ports
- Simple installation and operation
- Low maintenance and high accuracy
- Full range of flow rates (up to 1000 gpm)
- Low maintenance and high accuracy
- Low maintenance and high accuracy
- Low maintenance and high accuracy
- Low maintenance and high accuracy
- Low maintenance and high accuracy
- Low maintenance and high accuracy
- Low maintenance and high accuracy

SmartTrak 50

Features

- Low-cost flow control
- Simple, accurate flow control with standard components
- Operates at 1000 Hz
- Wide operating pressure range (100 to 1000 psi)
- Low-pressure flow rates (up to 200 gpm)
- Support for 4000 psi working pressure with standard 1/2" or 3/4" ports
- Simple installation and operation
- Low maintenance and high accuracy
- Full range of flow rates (up to 1000 gpm)
- Low maintenance and high accuracy
- Low maintenance and high accuracy
- Low maintenance and high accuracy
- Low maintenance and high accuracy
- Low maintenance and high accuracy
- Low maintenance and high accuracy
- Low maintenance and high accuracy
- Low maintenance and high accuracy

The SmartTrak 50 is a low-cost, accurate flow control device that provides precise flow control with standard components. It operates at 1000 Hz and provides a wide operating pressure range (100 to 1000 psi). The device is simple to install and operate, and it provides low maintenance and high accuracy. It is available in two configurations: one with a standard 1/2" port and one with a standard 3/4" port. The device is suitable for use in a wide range of applications, including industrial and commercial use. It is a reliable and accurate flow control device that is easy to use and maintain.



SIERRA

www.sierracontrols.com