

Autoclaveable HA Pressure Transmitter

Introduction

Anderson-Negle's Autoclaveable HA Series Pressure Transmitter is specifically designed for critical measurements in applications where equipment is autoclaved. Outperforming the highly visible "Mini" HA Pressure Transmitter, the Autoclaveable HA offers the versatility of a small form factor transmitter to the accuracy by withstanding the stress of the autoclave environment. Its zero-glass stainless steel package design incorporates a transducer and electronics circuitry to convert pressure and output to a proportional 4-20 mA signal.

The product can be ordered with a 1/2" Tri-Clamp connection or our OEM fitting that eliminates field or in-line pressure loss. All units are supplied factory calibrated to standard or custom ranges. The field measurement, non-invasive zero, and span adjustments, as well as easily accessible test points that greatly simplify calibration and validation. 100% "Y" stainless steel wetted parts are made polished to a finish. Finally, even in an Anderson-Negle "Life Sciences Series" product, every transmitter includes calibration and material certificates and permanent tag storage.

Complete specifications and ordering information are available on the website. For more information please visit our Web Site at www.anderson-negle.com, or contact your local Authorized Anderson-Negle Dealer.

Features

- Compact low profile design
- Output remains stable through repeated autoclave cycles
- Rated NEMA 4X to IP67 to 68

