



Pressure / Level transmitters in a Ball valve

Retractable without shutting down the process!

Series 8000-VALVE "Conventional"



- ◀ **Removeable during process!** ▶
- ◀ All Stainless Steel design ▶
- ◀ Strong Flush diaphragms ▶
- ◀ Rugged and Compact ▶
- ◀ Accuracy 0.2% ▶

Additional Features on Series 2000:

- ▶ Accuracy 0.1%
- ▶ Easy calibration without testpressure
- ▶ 3 push buttons + display
- ▶ 4-20 mA + HART Protocol

Series 2000-VALVE "Intelligent" **HART** COMMUNICATION PROTOCOL



DESCRIPTION

The Klay VALVE transmitters are compact and robust "All Stainless steel" pressure and level transmitters. They are a unique combination of a special ball valve and a pressure transmitter with a flush diaphragm. **The design permits 'flush' installation with the process while the transmitter can be removed (for maintenance, cleaning or calibration) without shutting down the process.**

The 8000-VALVE and 2000-VALVE transmitters are specially designed for the pulp and paper industry and similar industries where clogging is a problem.

Series 8000 is internally adjustable on zero and span and the 'intelligent' series 2000 is **very easy adjustable without test pressure by 3 pushbuttons and a display**, or by HART® (option).

Various process connections are available (see page 2 and 3).

HART® is a registered trademark of the HART Communication Foundation

Manufactured by:

KLAY-INSTRUMENTS B.V.

Nijverheidsweg 5
P.O. Box 13
Tel. +31-521-591550

7991 CZ DWINGELOO
7990 AA DWINGELOO
Fax +31-521-592046

The Netherlands
E-mail: info@klay.nl
Website: www.klay.nl

Our representative in your area is: